

The image features a central dark green rectangular area with white text. The text is arranged in three horizontal sections, separated by thin white lines. The background of the entire image is a light, textured surface with a repeating pattern of vertical ridges, resembling a woven fabric or a specific material texture. The overall aesthetic is clean and modern.

ADEON

**FULL
PRODUCT
LINE UP**

2025

BRAND NAME
ADEON ELECTRONICS

INDUSTRY
PROFESSIONAL AUDIO EQUIPMENTS

FOUNDED
2023

HEADQUARTERS
KOLKATA

**BRAND
BIO DATA**

PRODUCT RANGE

PROFESSIONAL AUDIO SYSTEMS:
HIGH-FIDELITY SPEAKERS, AMPLIFIERS, AND MIXERS.

PERSONAL AUDIO DEVICES:
HEADPHONES, EARPHONES, AND PORTABLE SPEAKERS.

STUDIO EQUIPMENT:
MICROPHONES, AUDIO INTERFACES
AND MONITORING SYSTEMS.

AUDIO ACCESSORIES:
CABLES, STANDS, AND CONNECTORS FOR SEAMLESS
PERFORMANCE.

BRAND VALUE

INNOVATION:
CONTINUOUS DEVELOPMENT
OF GROUNDBREAKING AUDIO TECHNOLOGIES.

QUALITY:
COMMITMENT TO DELIVERING DURABLE,
RELIABLE, AND HIGH-PERFORMANCE PRODUCTS.

CUSTOMER SATISFACTION:
PRIORITIZING USER NEEDS
AND PROVIDING EXCEPTIONAL SERVICE.

The background of the image is a close-up, grayscale view of a microphone's grille. The grille consists of numerous vertical, slightly curved slats that create a textured, mesh-like appearance. The lighting is soft, highlighting the ridges and valleys of the slats. The overall tone is technical and professional.

MICROPHONES

MICROPH

ADEON

ADM 01

DYNAMIC
MICROPHONE

HI-FIDELITY
UNI-DIRECTIONAL
DYNAMIC MICROPHONE
EXCELLENT REPRODUCTION OF
VOICE AND MUSIC
PROFESSIONALS



ADEON



ADM 02

**DYNAMIC
MICROPHONE**

**HI-FIDELITY
UNI-DIRECTIONAL
DYNAMIC MICROPHONE
EXCELLENT REPRODUCTION OF
VOICE AND MUSIC
PROFESSIONAL**



ADMIC

DYNAMIC
MICROPHONE

HI-FIDELITY
CARDIOID
DYNAMIC MICROPHONE
EXCELLENT REPRODUCTION OF
VOICE AND MUSIC
PROFESSIONAL

ADEON



ADEON

ACON

CONDENSER
MICROPHONE

PROFESSIONAL HI-FIDELITY
CARDIOID CONDENSER
MICROPHONE
EXCELLENT REPRODUCTION
OF VOICE AND MUSIC
PROFESSIONAL



ADEON

CRM 02

CONDENSER
MICROPHONE

HI-FIDELITY
OMNI-DIRECTIONAL
CONDENSER MICROPHONE

FREQUENCY RANGE
15HZ-20KHZ

IMPEDENCE
600Ω

REQUIRED FANTOM POWER
48V

PINS
GOLD PLATED INSIDE
AND PINS



ADEON

CRM 03

CONDENSER
MICROPHONE

HI-FIDELITY OMNI-DIRECTIONAL
CONDENSER MICROPHONE

FREQUENCY RANGE
15HZ-20KHZ

IMPEDENCE
600Ω

REQUIRED FANTOM POWER
48V

PINS
GOLD PLATED INSIDE
AND PINS



ADEON

DM Q7

DRUM KIT
MICROPHONE PACK

COMPLETE DYNAMIC
DRUM MIC PACKAGE
FOR STAGE AND STUDIO
SUPER CARDIOID POLAR
PATTERNS MINIMIZES
FEEDBACK PROBLEMS
EFFECTIVELY REJECTS
UNWANTED SIGNALS FROM
OTHER DRUMS
IN THE KIT CAPABLE OF
WITHSTANDING HIGH SPLS
GOLD-PLATED XLR
CONNECTORS, RUGGED
CONSTRUCTION



ADEON

ACM 18

CONDENSER
MICROPHONE

GOOSENECK LENGTH:
18"

BASE:
DESKTOP, METAL BODY

CAPSULE TYPE:
CONDENSER

POLAR PATTERN:
CARDIOID

FREQUENCY RESPONSE:
60 - 18000HZ

SENSITIVITY:
-42 ± 2DB

POWER SUPPLY:
DC9V



ADEON

ACM 24

CONDENSER
MICROPHONE

GOOSENECK LENGTH:
24"

BASE:
DESKTOP, METAL BODY

CAPSULE TYPE:
CONDENSER

POLAR PATTERN:
CARDIOID

FREQUENCY RESPONSE:
60 - 18000HZ

SENSITIVITY:
-42 ± 2DB

POWER SUPPLY:
DC9V



STUDIO

STUDIO

ADEON

ADX 1

MONO PASSIVE
D.I BOX

INPUT:
50K Ω

PARA OUT:
50K Ω

BALANCED IN/OUT:
600 Ω

GROUND/LIFT



ADEON

ADX 2

STEREO PASSIVE
D.I BOX

INPUT:
50K Ω

PARA OUT:
50K Ω

BALANCED IN/OUT:
600 Ω

GROUND/LIFT



AHMP 4

ULTRA COMPACT
4 CHANNEL STEREO
HEADPHONE AMPLIFIER

4 CHANNEL
STEREO HEADPHONE AMPLIFIER
DEDICATED VOLUME CONTROLS

ADEON



ADEON

AHMP 6

ULTRA COMPACT
6 CHANNEL STEREO
HEADPHONE AMPLIFIER

6 CHANNEL
STEREOHEADPHONE AMPLIFIER
DEDICATED VOLUME CONTROLS



MIXERS

STUDIO

ADEON

AMS 22F

4 CHANNEL
MIXER CONSOLE

2 XLR INPUTS
1 STEREO INPUT
3-BAND EQUALIZERS
PHANTOM POWER
MP3 AND BLUETOOTH PLAYBACK
AUXILIARY
ONBOARD 99 DSP
RUGGED AND PORTABLE



ADEON

AMS 42F

6 CHANNEL
MIXER CONSOLE

4 XLR INPUTS
1 STEREO INPUT
3-BAND EQUALIZERS
PHANTOM POWER
MP3 AND BLUETOOTH PLAYBACK
AUXILIARY
ONBOARD 99 DSP
RUGGED AND PORTABLE



ADEON

AMS 82F

8 CHANNEL MIXER CONSOLE

8 XLR INPUTS
4-BAND EQUALIZERS
PHANTOM POWER PER CHANNEL
MP3 AND BLUETOOTH PLAYBACK
2 AUX TO FX
7-BAND GRAPHIC EQUALIZER
ONBOARD 99 DSP
SINGLE GROUP TO MAIN OUT
EQUIPPED WITH HI-Z FUNCTION



ADDEON

AMS 122F

12 CHANNEL MIXER CONSOLE



**12 XLR INPUTS
4-BAND EQUALIZERS
PHANTOM POWER PER CHANNEL
MP3 AND BLUETOOTH PLAYBACK
2 AUX TO FX
7-BAND GRAPHIC EQUALIZER
ONBOARD 99 DSP
SINGLE GROUP TO MAIN OUT
EQUIPPED WITH HI-Z FUNCTION**



ADEON

AMLS 16

16 CHANNEL MIXER CONSOLE

16 CHANNEL ALL MONO INPUT
INDIVIDUAL PHANTOM POWER + 48V EACH MONO CHANNEL
4 BAND EQ + 4AUX + IFX + MUTE + SOLO FUNCTION EACH CHANNEL
USB INPUT WITH BLUETOOTH FUNCTION
RECORDING MP3 FUNCTION
INDIVIDUAL COMPUTER INTERFACE
DC 5V GOOSENECK LAMP USB
BUILT-IN 99 EFFECTS
SUPPORT DOUBLE 9-SEGMENT DIAGRAM EQUALIZATION PUSH ADJUSTMENT
FOUR GROUP MAIN OUTPUT



ADEON

AMLS 24

24 CHANNEL
MIXER CONSOLE

24 CHANNEL ALL MONO INPUT
INDIVIDUAL PHANTOM POWER + 48V EACH MONO CHANNEL
4 BAND EQ + 4AUX + IFX + MUTE SOLO FUNCTION EACH CHANNEL
USB INPUT
BLUETOOTH FUNCTION
RECORDING MP3 FUNCTION
INDIVIDUAL COMPUTER INTERFACE
DC 5V GOOSENECK LAMP USB
BUILT-IN 99 EFFECTS
SUPPORT DOUBLE 9-SEGMENT DIAGRAM EQUALIZATION PUSH ADJUSTMENT
FOUR GROUP MAIN OUTPUT



SPEAKERS

STUDIO

ADEON

ADX 15 DSP

**PROFESSIONAL POWERED
LOUDSPEAKER
WITH DSP SETTINGS**

**2000WATTS
15"**

**SYSTEM POWERED, TWO-WAY BI-AMPED 15" WITH DSP, CLASS D
MAX SPL : 131 DB**

FREQUENCY RESPONSE: (+-3DB)55HZ-18KHZ

FREQUENCY RESPONSE : (+-10DB)45HZ-20KHZ

HORIZONTAL COVERAGE ANGLE: 90°

VERTICAL COVERAGE ANGLE: 60°

OUTPUT POWER: 500W RMS, 2000 WATT PEAK

LF: 1800W

HF: 200W

WOOFER: 15" 2.5" VC

COMPRESSION DRIVER: 1.75" VC

INPUTS: 2 X COMBO(XLR/PI0), LINE/MIC, 1 X P2, 1 X USB

INPUT IMPEDANCE: 100K R

OUTPUT: 1 X XLR

BLUETOOTH: FOR AUDIO STREAMING, 5.0, TWS FUNCTION

BLUETOOTH SIGNAL LINKED TO THE XLR OUTPUT

DSP: TONE E LOCATE FUNCTIONS

5 EQ PRESETS: NORMAL, LIVE, CLUB, SPEECH, MUSIC.

2 POSITIONS: POLE, MONITOR

BASS, MED, TREBLE CONTROL. RANGE -10DB TO 10DB

LED: POWER INDICATOR, CLIP

LCD SCREEN: YES

AC INPUT: 115V/60HZ OR 230V/50HZ

MOUNTING: SOCKET STICK 35MM, 3 LIFTING POINTS(MIO)

POWER CORD: 1.5M

PP COMPLIANT CABINET / CASE MATERIAL

ADEON

ADX 15DSP

MULTI-PURPOSE, 2-WAY ACTIVE PA SOUND REINFORCEMENT,
BEST IN CLASS AUDIO PERFORMANCE

2000 WATT CLASS-D AMPLIFIER MODULE, 500WATTS CONTINUOUS POWER

REFINED, PROFESSIONAL APPEARANCE LOOKS GREAT IN ANY APPLICATION

RUGGED ABS ENCLOSURE FOR LONG LIFE AND LASTING DURABILITY

EXTREMELY POWERFUL 15" LONG-EXCURSION DRIVER
PROVIDES INCREDIBLY DEEP BASS AND ACOUSTIC POWER

STATE-OF-THE-ART 1.75" TITANIUM-DIAPHRAGM

COMPRESSION DRIVER FOR EXCEPTIONAL HIGH-FREQUENCY REPRODUCTION

2 PROFESSIONAL SPEAKER CONNECTORS PLUS

1/4" JACK CONNECTORS

EXCELLENT POWER RESPONSE AND
CONSISTENT PERFORMANCE ACROSS THE LISTENING

AREA SAVABLE AND RECALLABLE SCENES
CAN STORE INFORMATION LIKE USER EQ, DELAY,
AND INPUT CONFIGURATION SETTINGS

POWER SUPPLY 220-240 VAC, 50-60 HZ



ADEON

ADX 12 DSP

**PROFESSIONAL POWERED
LOUDSPEAKER
WITH DSP SETTINGS**

**1800WATTS
12"**

SYSTEM: POWERED, TWO-WAY BI-AMPED 12" WITH DSP, CLASS D
MAX SPL: 130 DB

FREQUENCY RESPONSE: (+-3DB) 60HZ-18KHZ

FREQUENCY RESPONSE: (+-10DB) 50HZ-20KHZ

HORIZONTAL COVERAGE ANGLE: 90°

VERTICAL COVERAGE ANGLE: 60°

OUTPUT POWER: 450W RMS, 1800W PEAK

LF: 1600W

HF: 200W

WOOFER: 12" 2.5" VC

COMPRESSION DRIVER: 1.75" VC

INPUTS: 2 X COMBO(XLR/PI0) LINE/MIC, 1 X P2, 1 X USB

INPUT IMPEDANCE: 100K R

OUTPUT: 1 X XLR

BLUETOOTH: FOR AUDIO STREAMING, 5.0
TWS FUNCTION

BLUETOOTH SIGNAL LINKED TO THE XLR OUTPUT

DSP: TONE E LOCATE FUNCTIONS

5 EQ PRESETS: NORMAL, LIVE, CLUB, SPEECH, MUSIC.

2 POSITIONS: POLE, MONITOR

BASS, MED, TREBLE CONTROL, RANGE -10DB TO 10DB
NO DELAY

LED: POWER INDICATOR, CLIP

LCD SCREEN: YES

AC INPUT: 115V/60HZ OR 230V/50HZ

MOUNTING: SOCKET STICK 35MM, 3 LIFTING POINTS(MIO)

POWER CORD: 1.5M

PP COMPLIANT CABINET / CASE MATERIAL

ADEON

ADX 12DSP

MULTI-PURPOSE, 2-WAY ACTIVE PA SOUND REINFORCEMENT,
BEST IN CLASS AUDIO PERFORMANCE

1800 WATT CLASS-D AMPLIFIER MODULE, 450WATTS CONTINUOUS POWER

REFINED, PROFESSIONAL APPEARANCE LOOKS GREAT IN ANY APPLICATION

RUGGED ABS ENCLOSURE FOR LONG LIFE AND LASTING DURABILITY

EXTREMELY POWERFUL 15" LONG-EXCURSION DRIVER
PROVIDES INCREDIBLY DEEP BASS AND ACOUSTIC POWER

STATE-OF-THE-ART 1.75" TITANIUM-DIAPHRAGM

COMPRESSION DRIVER FOR EXCEPTIONAL HIGH-FREQUENCY REPRODUCTION

2 PROFESSIONAL SPEAKER CONNECTORS PLUS

1/4" JACK CONNECTORS

EXCELLENT POWER RESPONSE AND
CONSISTENT PERFORMANCE ACROSS THE LISTENING

AREA SAVABLE AND RECALLABLE SCENES
CAN STORE INFORMATION LIKE USER EQ, DELAY,
AND INPUT CONFIGURATION SETTINGS

POWER SUPPLY 220-240 VAC, 50-60 HZ



ADEON

AP 15

**2 WAY
PROFESSIONAL POWERED
LOUDSPEAKER**

**1500WATTS
15"**

OUTPUT POWER: 1500W 15" PROFESSIONAL PASSIVE SPEAKER

LF: 1350W

HF: 150W

LF TRANSDUCER 15" WOOFER

HF TRANSDUCER 1.75 INCH TITANIUM DIAPHRM COMPRESSION DRIVER

NOMINAL COVERAGE ANGLE 75 AXIS Y METRIC

PP COMPLIANT CABINET / CASE MATERIAL

**15INCH 2-WAY
PROFESSIONAL PASSIVE
SPEAKER**

HIGHRIGID STEEL FRAME

**15" WOOFER WITH 2.5" VOICE
COIL**

34MM COMPRESSION DIVER

MAX POWER: 1500W

IMPEDANCE: 8 OHMS

**SENSITIVITY: 96+/-2
DB/W/M**

**FREQ RESPONSE:
40HZ-18KHZ**



ADEON

AP 12

**2 WAY
PROFESSIONAL POWERED
LOUDSPEAKER**

**1300WATTS
12"**

OUTPUT POWER: 1300W 15" PROFESSIONAL PASSIVE SPEAKER

LF: 1150W

HF: 150W

LF TRANSDUCER 12" WOOFER

HF TRANSDUCER 1.75 INCH TITANIUM DIAPHRM COMPRESSION DRIVER

NOMINAL COVERAGE ANGLE 75 AXIS Y METRIC

PP COMPLIANT CABINET / CASE MATERIAL

**12INCH 2-WAY PRXSSIVE
SPEAKER**

HIGHRIGID STEEL FRAME

**12" WOOFER WITH 2.5"
VOICE COIL**

34MM COMPRESSION DIVER

MAX POWER: 1300W

IMPEDANCE: 8 OHMS

**SENSITIVITY: 96+/-2
DB/W/M**

**FREQ RESPONSE:
40HZ-18KHZ**





STANDS

STUDIO

AX MCS 2022 - BK

HEAVY DUTY ADJUSTABLE
MIC STAND



TYPE:
TELESCOPIC, ADJUSTABLE
MICROPHONE STAND




BASE TYPE:
TRIPOD



MATERIALS:
STEEL & DURABLE PLASTIC

ADEON



| ADJUSTABLE HEIGHT: |
900MM - 1600MM

| TELESCOPIC ARM LENGTH: |
UP TO 800MM

ADEON

AX MS 54

HEAVY DUTY ADJUSTABLE
MIC STAND

ARM LENGTH:
530 - 910 MM

HEIGHT:
540 MM



TYPE:
TELESCOPIC,
ADJUSTABLE
MICROPHONE STAND



BASE TYPE:
TRIPOD



BASE TYPE:
STEEL &
DURABLE PLASTIC



ADEON

AX GS 15

HEAVY DUTY ADJUSTABLE
GUITAR STAND



TYPE:
HEAVY DUTY ADJUSTABLE
GUITAR STAND



BASE TYPE:
TRIPOD



MATERIAL:
STEEL



|| HEIGHT:
640-770 MM ||

ADEON

AX KB 36

HEAVY DUTY ADJUSTABLE
KEYBOARD
STAND



TYPE:
HEAVY DUTY
ADJUSTABLE
KEYBOARD STAND



BASE TYPE:
DUO POD



MATERIAL:
STEEL

| ARM LENGTH:
30X350 MM |



| HEIGHT:
470-1310 MM |

ADEON



ARM LENGTH:
28X400 MM

HEIGHT:
500-860 MM

AX KB 41XL

ADJUSTABLE
KEYBOARD
STAND

TYPE:
ADJUSTABLE
KEYBOARD STAND



BASE TYPE:
DUOPOD



MATERIAL:
STEEL



ADEON



MAX LOAD CAPACITY:
50 KG

HEIGHT:
300-900 MM

WEIGHT:
6.3 KG

AX KB 127

HEAVY DUTY ADJUSTABLE
KEYBOARD
STAND

TYPE:
ADJUSTABLE
KEYBOARD STAND



BASE TYPE:
TRIPOD



MATERIAL:
ALUMINUM



AXNS 13

HEAVY DUTY ADJUSTABLE
NOTATION
STAND



TYPE:
HEAVY DUTY
ADJUSTABLE
NOTATION STAND



BASE TYPE:
TRIPOD



MATERIAL:
STEEL

ADEON

BOOK PLATE SIZE:
475(W) X 345(D) MM



HEIGHT:
940-1420 MM

ADEON

BOOK PLATE SIZE:
505 (W) X 290 (D) MM



HEIGHT:
640-1270 MM

AXNS 09

ADJUSTABLE
NOTATION
STAND

TYPE:
ADJUSTABLE
KEYBOARD STAND



BASE TYPE:
TRIPOD



MATERIAL:
STEEL



ACCESSORIES

STUDIO

ADEON

AX-BC 01N

BASS GUITAR CASE

MATERIAL:
ABS

DIMENSIONS:
50X44X116CM

WEIGHT:
18KG



ADEON

AX-BCS 01N

BASS GUITAR CASE

MATERIAL:
ABS

DIMENSIONS:
62X23X18 CM

WEIGHT:
13KG



AX-EC 01N

ELECTRIC GUITAR CASE

MATERIAL:
ABS

DIMENSIONS:
50X44X108CM

WEIGHT:
17.2 KG

ADEON



ADEON

AX-ECS 01N

ELECTRIC GUITAR CASE

**MATERIAL:
ABS**

**DIMENSIONS:
62X23X109 CM**

**WEIGHT:
12,8 KG**



ADEON

AX-JC 01N

ACOUSTIC GUITAR CASE

MATERIAL:
ABS

DIMENSIONS:
69X38X116CM

WEIGHT:
20 KG



ADEON

AX-KBC 01

KEYBOARD CASE

**MATERIAL:
ABS MATERIAL WITH WHEEL**

**DIMENSIONS:
46.45X20X123 CM**

**WEIGHT:
7KG**





ADEON
ELEVATE EVERY SOUND

Follow Us On



www.hertzmusic.co.in/adeon/