



ADEON

by *Hertz*

**FULL
PRODUCT
LINE UP**

2026

BRAND NAME
ADEON ELECTRONICS

INDUSTRY
PROFESSIONAL AUDIO EQUIPMENTS

FOUNDED
2023

HEADQUARTERS
KOLKATA

**BRAND
BIO DATA**

PRODUCT RANGE

PROFESSIONAL AUDIO SYSTEMS:
HIGH-FIDELITY SPEAKERS, AMPLIFIERS, AND MIXERS.

PERSONAL AUDIO DEVICES:
HEADPHONES, EARPHONES, AND PORTABLE SPEAKERS.

STUDIO EQUIPMENT:
MICROPHONES, AUDIO INTERFACES
AND MONITORING SYSTEMS.

AUDIO ACCESSORIES:
CABLES, STANDS, AND CONNECTORS FOR SEAMLESS
PERFORMANCE.

BRAND VALUE

INNOVATION:
CONTINUOUS DEVELOPMENT
OF GROUNDBREAKING AUDIO TECHNOLOGIES.

QUALITY:
COMMITMENT TO DELIVERING DURABLE,
RELIABLE, AND HIGH-PERFORMANCE PRODUCTS.

CUSTOMER SATISFACTION:
PRIORITIZING USER NEEDS
AND PROVIDING EXCEPTIONAL SERVICE.

The background of the entire image is a close-up, high-contrast photograph of a microphone grille. The grille's mesh is visible, with light reflecting off its ridges and creating a pattern of bright and dark areas. The top half of the image is dominated by a dark teal gradient that fades into the lighter, more detailed grille texture on the right and bottom.

MICROPHONES

MICROPH

ADM 01

DYNAMIC
MICROPHONE

HI-FIDELITY
UNI-DIRECTIONAL
DYNAMIC MICROPHONE
EXCELLENT REPRODUCTION OF
VOICE AND MUSIC
PROFESSIONALS

ADEON



ADEON

ADM 02

**DYNAMIC
MICROPHONE**

**HI-FIDELITY
UNI-DIRECTIONAL
DYNAMIC MICROPHONE
EXCELLENT REPRODUCTION OF
VOICE AND MUSIC
PROFESSIONAL**



ADMIC

DYNAMIC
MICROPHONE

HI-FIDELITY
CARDIOID
DYNAMIC MICROPHONE
EXCELLENT REPRODUCTION OF
VOICE AND MUSIC
PROFESSIONAL

ADEON



ADEON

ACON

CONDENSER
MICROPHONE

PROFESSIONAL HI-FIDELITY
CARDIOID CONDENSER
MICROPHONE
EXCELLENT REPRODUCTION
OF VOICE AND MUSIC
PROFESSIONAL



CRM 02

CONDENSER
MICROPHONE

HI-FIDELITY
OMNI-DIRECTIONAL
CONDENSER MICROPHONE

FREQUENCY RANGE
15HZ-20KHZ

IMPEDENCE
600Ω

REQUIRED PHANTOM POWER
48V

PINS
GOLD PLATED INSIDE
AND PINS

ADEON



ADEON

CRM 03

CONDENSER
MICROPHONE

HI-FIDELITY OMNI-DIRECTIONAL
CONDENSER MICROPHONE

FREQUENCY RANGE
15HZ-20KHZ

IMPEDENCE
600Ω

REQUIRED PHANTOM POWER
48V

PINS
GOLD PLATED INSIDE
AND PINS



ADEON

DM Q7

DRUM KIT
MICROPHONE PACK

COMPLETE DYNAMIC
DRUM MIC PACKAGE
FOR STAGE AND STUDIO
SUPER CARDIOID POLAR
PATTERNS MINIMIZES
FEEDBACK PROBLEMS
EFFECTIVELY REJECTS
UNWANTED SIGNALS FROM
OTHER DRUMS
IN THE KIT CAPABLE OF
WITHSTANDING HIGH SPLS
GOLD-PLATED XLR
CONNECTORS, RUGGED
CONSTRUCTION



ADEON

ACM 18

CONDENSER
MICROPHONE

GOOSENECK LENGTH:
18"

BASE:
DESKTOP, METAL BODY

CAPSULE TYPE:
CONDENSER

POLAR PATTERN:
CARDIOID

FREQUENCY RESPONSE:
60 - 18000HZ

SENSITIVITY:
 $-42 \pm 2\text{DB}$

POWER SUPPLY:
DC9V



ACM 24

CONDENSER
MICROPHONE

GOOSENECK LENGTH:
24"

BASE:
DESKTOP, METAL BODY

CAPSULE TYPE:
CONDENSER

POLAR PATTERN:
CARDIOID

FREQUENCY RESPONSE:
60 - 18000HZ

SENSITIVITY:
 $-42 \pm 2\text{DB}$

POWER SUPPLY:
DC9V

ADEON





STUDIO

STUDIO

ADX 1

MONO PASSIVE
D.I. BOX

INPUT:
50K Ω

PARA OUT:
50K Ω

BALANCED IN/OUT:
600 Ω

GROUND/LIFT



ADEON

ADX 2

STEREO PASSIVE
D.I. BOX

INPUT:
50K Ω

PARA OUT:
50K Ω

BALANCED IN/OUT:
600 Ω

GROUND/LIFT



AHMP 4

ULTRA COMPACT
4 CHANNEL STEREO
HEADPHONE AMPLIFIER

4 CHANNEL
STEREO HEADPHONE AMPLIFIER
DEDICATED VOLUME CONTROLS

ADEON



ADEON

AHMP 6

ULTRA COMPACT
6 CHANNEL STEREO
HEADPHONE AMPLIFIER

6 CHANNEL
STEREO HEADPHONE AMPLIFIER
DEDICATED VOLUME CONTROLS



MIXERS

STUDIO

ADEON

AMS 42F

4 CHANNEL MIXER CONSOLE

2 MONO + 1 STEREO INPUT
48V PHANTOM POWER, HPF, PAD ON MONO CHANNEL
3 BAND EQ GAIN CONTROL (HIGH, MID, LOW)
AUX OUTPUT: 2 (INCL. 1 AUX FX) WITH EFFECT TO AUX1
24BIT DIGITAL MULTI EFFECT 99DSP
DIGITAL DISPLAY MP3 RECORDING
BLUETOOTH WITH RECORDING TO FLASHDISK
USB INTERFACE WITH SOUND CARD
HEADPHONE MONITOR GAIN CONTROL



ADEON

AMS 62F

6 CHANNEL MIXER CONSOLE

4 MONO + 1 STEREO INPUT
48V PHANTOM POWER, HPF, PAD ON MONO CHANNEL
3 BAND EQ GAIN CONTROL (HIGH, MID, LOW)
AUX OUTPUT: 2 (INCL. 1 AUX FX) WITH EFFECT TO AUX1
24BIT DIGITAL MULTI EFFECT 99DSP
DIGITAL DISPLAY MP3 RECORDING
BLUETOOTH WITH RECORDING TO FLASHDISK
USB INTERFACE WITH SOUND CARD
HEADPHONE MONITOR GAIN CONTROL



ADEON

AMS 82F

**8 CHANNEL
MIXER CONSOLE**

**8 XLR INPUTS
4-BAND EQUALIZERS
PHANTOM POWER PER CHANNEL
MP3 AND BLUETOOTH PLAYBACK
2 AUX TO FX
7-BAND GRAPHIC EQUALIZER
ONBOARD 99 DSP
SINGLE GROUP TO MAIN OUT
EQUIPPED WITH HI-Z FUNCTION**



ADEON

AMS 84F

10 CHANNEL MIXER CONSOLE

10 CHANNELS WITH 8 MIC/LINE INPUT AND INSERT, PLUS 1 STEREO INPUT CHANNEL
4-BAND EQ WITH HIGH, MID, SWEEPABLE MID AND LOW CONTROL
4 AUX SENDS (2 AUX SEND + 2 AUX EFFECTS)
EFFECT ROUTING TO AUX 1 AND AUX 2
2 GROUP OUTPUTS
7-BAND STEREO GRAPHIC EQUALIZER
DUAL 99 DSP DIGITAL MULTI-EFFECTS PROCESSOR
DIGITAL DISPLAY WITH MP3 PLAYER AND BLUETOOTH CONNECTIVITY
USB INTERFACE WITH BUILT-IN PC SOUND CARD
HEADPHONE MONITOR WITH DEDICATED GAIN CONTROL
+48V PHANTOM POWER, MUTE AND PFL ON EACH CHANNEL



ADEON

AMS 122F

12 CHANNEL
MIXER CONSOLE

12 XLR INPUTS
4-BAND EQUALIZERS
PHANTOM POWER PER CHANNEL
MP3 AND BLUETOOTH PLAYBACK
2 AUX TO FX
7-BAND GRAPHIC EQUALIZER
ONBOARD 99 DSP
SINGLE GROUP TO MAIN OUT
EQUIPPED WITH HI-Z FUNCTION



ADEON

AMS 124F

14 CHANNEL MIXER CONSOLE

14 CHANNEL MONO /MIC LINE/ INSERT + 1 CHANNEL STEREO INPUT
4 BAND EQ GAIN CONTROL HIGH,MID, MID SWEEP,LOW
AUX 4 (2 AUX SEND + 2 AUX EFFECT) WITH EFFECT TO AUX 1,2 FUNCTION
2 GROUP OUTPUT
7 BAND STEREO GRAPHIC EQUALIZER
2X99DSP DIGITAL MULTI EFFECTOR
DIGITAL DISPLAY, MP3 PLAYER, BLUETOOTH
USB INTERFACE WITH PC SOUND CARD
HEADPHONE MONITOR GAIN CONTROL
+48V PHANTOM POWER, MUTE, PFL ON EACH CHANNEL



ADEON

AMS 186F

18 CHANNEL MIXER CONSOLE

18 CHANNEL AUDIO MIXER
16 CHANNEL MONO/MIC LINE/ INSERT + 1 CHANNEL STEREO INPUT
COMPRESSOR EACH CHANNEL
48V PHANTOM POWER, HPF, PAD
4 EQ TONE CONTROL
8 AUX (6 AUX SEND + 2 AUX FX) FX WITH SEND TO AUX 1-6
4 GROUP MUTE, PFL EACH CHANNEL
7 BAND STEREO GRAPHIC EQ
2X99DSP DIGITAL MULTI EFFECTOR
DIGITAL DISPLAY, USB, MP3 PLAYER, BLUETOOTH
HEADPHONE, MONITOR GAIN CONTROL MUTE, PFL ON EACH CHANNEL



ADEON

AMS 268F

26 CHANNEL MIXER CONSOLE

26 CHANNEL MONO MIC LINE INSERT + 2 STEREO
COMPRESSOR EACH CHANNEL
48V PHANTOM POWER, HPF, PAD
4 EQ TONE CONTROL
8 AUX (AUX SEND + 2 AUX FX)
FX WITH SEND TO AUX 1-6
4 GROUP
MUTE, PFL EACH CHANNEL
7 BAND STEREO GRAPHIC EQ
DIGITAL DISPLAY USB MP3 PLAYER
BLUETOOTH
2X99DSP DIGITAL MULTI EFFECTOR



ADEON

AMLS 24

24 CHANNEL MIXER CONSOLE

24 CHANNEL ALL MONO INPUT
INDIVIDUAL PHANTOM POWER + 48V EACH MONO CHANNEL
4 BAND EQ + 4AUX + IFX + MUTE SOLO FUNCTION EACH CHANNEL
USB INPUT
BLUETOOTH FUNCTION
RECORDING MP3 FUNCTION
INDIVIDUAL COMPUTER INTERFACE
DC 5V GOOSENECK LAMP USB
BUILT-IN 99 EFFECTS
SUPPORT DOUBLE 9-SEGMENT DIAGRAM EQUALIZATION PUSH ADJUSTMENT
FOUR GROUP MAIN OUTPUT





SPEAKERS

STUDIO

ADEON

AD 15 DSP

**PROFESSIONAL POWERED
LOUDSPEAKER
WITH DSP SETTINGS**

**2000WATTS
15"**

**SYSTEM POWERED, TWO-WAY BI-AMPED 15" WITH DSP, CLASS D
MAX SPL : 131 DB**

FREQUENCY RESPONSE: (+-3DB) 55HZ-18KHZ

FREQUENCY RESPONSE : (+-10DB) 45HZ-20KHZ

HORIZONTAL COVERAGE ANGLE: 90°

VERTICAL COVERAGE ANGLE: 60°

OUTPUT POWER: 500W RMS, 2000 WATT PEAK

LF: 1800W

HF: 200W

WOOFER: 15" 2.5" VC

COMPRESSION DRIVER: 1.75" VC

INPUTS: 2 X COMBO(XLR/PI0), LINE/MIC, 1 X P2, 1 X USB

INPUT IMPEDANCE: 100K R

OUTPUT: 1 X XLR

BLUETOOTH: FOR AUDIO STREAMING, 5.0, TWS FUNCTION

BLUETOOTH SIGNAL LINKED TO THE XLR OUTPUT

DSP: TONE LOCATE FUNCTIONS

5 EQ PRESETS: NORMAL, LIVE, CLUB, SPEECH, MUSIC.

2 POSITIONS: POLE, MONITOR

BASS, MID, TREBLE CONTROL. RANGE -10DB TO 10DB

LED: POWER INDICATOR, CLIP

LCD SCREEN: YES

AC INPUT: 115V/60HZ OR 230V/50HZ

MOUNTING: SOCKET STICK 35MM, 3 LIFTING POINTS(M10)

POWER CORD: 1.5M

PP COMPLIANT CABINET / CASE MATERIAL

ADEON

AD 15DSP

MULTI-PURPOSE, 2-WAY ACTIVE PA SOUND REINFORCEMENT,
BEST IN CLASS AUDIO PERFORMANCE

2000 WATT CLASS-D AMPLIFIER MODULE, 500WATTS CONTINUOUS POWER

REFINED, PROFESSIONAL APPEARANCE LOOKS GREAT IN ANY APPLICATION

RUGGED ABS ENCLOSURE FOR LONG LIFE AND LASTING DURABILITY

EXTREMELY POWERFUL 15" LONG-EXCURSION DRIVER
PROVIDES INCREDIBLY DEEP BASS AND ACOUSTIC POWER

STATE-OF-THE-ART 1.75" TITANIUM-DIAPHRAGM

COMPRESSION DRIVER FOR EXCEPTIONAL HIGH-FREQUENCY REPRODUCTION

2 PROFESSIONAL SPEAKER CONNECTORS PLUS

1/4" JACK CONNECTORS

EXCELLENT POWER RESPONSE AND
CONSISTENT PERFORMANCE ACROSS THE LISTENING

AREA SAVABLE AND RECALLABLE SCENES
CAN STORE INFORMATION LIKE USER EQ, DELAY,
AND INPUT CONFIGURATION SETTINGS

POWER SUPPLY 220-240 VAC, 50-60 HZ



ADEON

AD 12 DSP

**PROFESSIONAL POWERED
LOUDSPEAKER
WITH DSP SETTINGS**

**1800WATTS
12"**

**SYSTEM: POWERED, TWO-WAY BI-AMPED 12" WITH DSP, CLASS D
MAX SPL: 130 DB**

FREQUENCY RESPONSE: (+-3DB) 60HZ-18KHZ

FREQUENCY RESPONSE: (+-10DB) 50HZ-20KHZ

HORIZONTAL COVERAGE ANGLE: 90°

VERTICAL COVERAGE ANGLE: 60°

OUTPUT POWER: 450W RMS, 1800W PEAK

LF: 1600W

HF: 200W

WOOFER: 12" 2.5" VC

COMPRESSION DRIVER: 1.75" VC

INPUTS: 2 X COMBO(XLR/P10) LINE/MIC, 1 X P2, 1 X USB

INPUT IMPEDANCE: 100K R

OUTPUT: 1 X XLR

BLUETOOTH: FOR AUDIO STREAMING, 5.0

TWS FUNCTION

BLUETOOTH SIGNAL LINKED TO THE XLR OUTPUT

DSP: TONE LOCATE FUNCTIONS

5 EQ PRESETS: NORMAL, LIVE, CLUB, SPEECH, MUSIC.

2 POSITIONS: POLE, MONITOR

BASS, MID, TREBLE CONTROL, RANGE -10DB TO 10DB

NO DELAY

LED: POWER INDICATOR, CLIP

LCD SCREEN : YES

AC INPUT: 115V/60HZ OR 230V/50HZ

MOUNTING: SOCKET STICK 35MM, 3 LIFTING POINTS(M10)

POWER CORD: 1.5M

PP COMPLIANT CABINET / CASE MATERIAL

ADEON

AD 12DSP

MULTI-PURPOSE, 2-WAY ACTIVE PA SOUND REINFORCEMENT,
BEST IN CLASS AUDIO PERFORMANCE

1800 WATT CLASS-D AMPLIFIER MODULE, 450WATTS CONTINUOUS POWER

REFINED, PROFESSIONAL APPEARANCE LOOKS GREAT IN ANY APPLICATION

RUGGED ABS ENCLOSURE FOR LONG LIFE AND LASTING DURABILITY

EXTREMELY POWERFUL 15" LONG-EXCURSION DRIVER
PROVIDES INCREDIBLY DEEP BASS AND ACOUSTIC POWER

STATE-OF-THE-ART 1.75" TITANIUM-DIAPHRAGM

COMPRESSION DRIVER FOR EXCEPTIONAL HIGH-FREQUENCY REPRODUCTION

2 PROFESSIONAL SPEAKER CONNECTORS PLUS

1/4" JACK CONNECTORS

EXCELLENT POWER RESPONSE AND
CONSISTENT PERFORMANCE ACROSS THE LISTENING

AREA SAVABLE AND RECALLABLE SCENES
CAN STORE INFORMATION LIKE USER EQ, DELAY,
AND INPUT CONFIGURATION SETTINGS

POWER SUPPLY 220-240 VAC, 50-60 HZ



ADEON

AD 10 DSP

**PROFESSIONAL POWERED
LOUDSPEAKER
WITH DSP SETTINGS**

**1200WATTS
10"**

**SYSTEM: POWERED, TWO-WAY 10" BI-AMPED WITH DSP,
CLASS D MAX SPL :129 DB**

FREQUENCY RESPONSE: (+-3DB) 65HZ-18KHZ

FREQUENCY RESPONSE: (+-10DB) 55HZ-20KHZ

OUTPUT POWER: 300W RMS, 1200W PEAK

WOOFER: 10" DRIVER: 1"

INPUTS: 2 X COMBO(XLR/PI0) LINE/MIC, 1 X P2, 1 X USB INPUT

IMPEDANCE: 100KR OUTPUT: 1 X XLR

BLUETOOTH: AUDIO STREAMING, 5.0

TWS FUNCTION

BLUETOOTH SIGNAL LINKED TO THE XLR OUTPUT

DSP: TONE LOCATE FUNCTIONS

5 EQ PRESETS: NORMAL, LIVE, CLUB, SPEECH, MUSIC.

2 POSITIONS: POLE, MONITOR

BASS, MID, TREBLE CONTROL. RANGE -10DB TO 10DB

NO DELAY

POWER INDICATOR, CLIP: POWER INDICATOR, CLIP


LCD SCREEN: YES

AC INPUT: 115V/60HZ OR 230V/50HZ

MOUNTING: SOCKET STICK 35MM, 3 LIFTING POINTS(M10)

POWER CORD: 1.5M

CABINET: ADEON ADIO NEW DESIGN



ADEON

AD 10DSP

MULTI-PURPOSE, 2-WAY ACTIVE PA SOUND REINFORCEMENT,
BEST IN CLASS AUDIO PERFORMANCE

1200 WATT CLASS-D AMPLIFIER MODULE, 500WATTS CONTINUOUS POWER

REFINED, PROFESSIONAL APPEARANCE LOOKS GREAT IN ANY APPLICATION

RUGGED ABS ENCLOSURE FOR LONG LIFE AND LASTING DURABILITY

EXTREMELY POWERFUL 15" LONG-EXCURSION DRIVER
PROVIDES INCREDIBLY DEEP BASS AND ACOUSTIC POWER

STATE-OF-THE-ART 1.75" TITANIUM-DIAPHRAGM

COMPRESSION DRIVER FOR EXCEPTIONAL HIGH-FREQUENCY REPRODUCTION

2 PROFESSIONAL SPEAKER CONNECTORS PLUS

1/4" JACK CONNECTORS

EXCELLENT POWER RESPONSE AND
CONSISTENT PERFORMANCE ACROSS THE LISTENING

AREA SAVABLE AND RECALLABLE SCENES
CAN STORE INFORMATION LIKE USER EQ, DELAY,
AND INPUT CONFIGURATION SETTINGS

POWER SUPPLY 220-240 VAC, 50-60 HZ



NEW ARRIVAL

ADEON

AD 8 DSP

**PROFESSIONAL POWERED
LOUDSPEAKER
WITH DSP SETTINGS**

**1200WATTS
8"**

**SYSTEM: POWERED, TWO-WAY 8" BI-AMPED WITH DSP, CLASS D
MAX SPL: 129 DB**

FREQUENCY RESPONSE: (+-3DB) 65HZ-18KHZ

FREQUENCY RESPONSE: (+-10DB) 55HZ-20KHZ

OUTPUT POWER: 280W RMS, 1200W PEAK

WOOFER: 10" DRIVER: 1"

INPUTS: 2 X COMBO(XLR/P10) LINE/MIC, 1 X P2, 1 X USB INPUT

IMPEDANCE: 100K R OUTPUT: 1X XLR

BLUETOOTH: AUDIO STREAMING, 5.0

TWS FUNCTION

BLUETOOTH SIGNAL LINKED TO THE XLR OUTPUT

DSP: TONE LOCATE FUNCTIONS

5 EQ PRESETS: NORMAL, LIVE, CLUB, SPEECH, MUSIC.

2 POSITIONS: POLE, MONITOR

BASS, MID, TREBLE CONTROL, RANGE -10DB TO 10DB

NO DELAY

POWER INDICATOR, CLIP: POWER INDICATOR, CLIP


LCD SCREEN: YES

AC INPUT: 115V/60HZ OR 230V/50HZ

MOUNTING: SOCKET STICK 35MM, 3 LIFTING POINTS(M10)

POWER CORD: 1.5M

CABINET: ADEON AD8 NEW DESIGN



ADEON

AD 8DSP

MULTI-PURPOSE, 2-WAY ACTIVE PA SOUND REINFORCEMENT,
BEST IN CLASS AUDIO PERFORMANCE

1200 WATT CLASS-D AMPLIFIER MODULE, 500WATTS CONTINUOUS POWER

REFINED, PROFESSIONAL APPEARANCE LOOKS GREAT IN ANY APPLICATION

RUGGED ABS ENCLOSURE FOR LONG LIFE AND LASTING DURABILITY

EXTREMELY POWERFUL 15" LONG-EXCURSION DRIVER
PROVIDES INCREDIBLY DEEP BASS AND ACOUSTIC POWER

STATE-OF-THE-ART 1.75" TITANIUM-DIAPHRAGM

COMPRESSION DRIVER FOR EXCEPTIONAL HIGH-FREQUENCY REPRODUCTION

2 PROFESSIONAL SPEAKER CONNECTORS PLUS

1/4" JACK CONNECTORS

EXCELLENT POWER RESPONSE AND
CONSISTENT PERFORMANCE ACROSS THE LISTENING

AREA SAVABLE AND RECALLABLE SCENES
CAN STORE INFORMATION LIKE USER EQ, DELAY,
AND INPUT CONFIGURATION SETTINGS

POWER SUPPLY 220-240 VAC, 50-60 HZ



NEW ARRIVAL

ADEON

**AP
15**

**2 WAY
PROFESSIONAL POWERED
LOUDSPEAKER**

**1500WATTS
15"**

OUTPUT POWER: 1500W 15" PROFESSIONAL PASSIVE SPEAKER

LF: 1350W

HF: 150W

LF TRANSDUCER 15" WOOFER

HF TRANSDUCER 1.75 INCH TITANIUM DIAPHRAGM COMPRESSION DRIVER

NOMINAL COVERAGE ANGLE 75 AXIS Y METRIC

PP COMPLIANT CABINET / CASE MATERIAL

**15INCH 2-WAY PROFESSIONAL
PASSIVE SPEAKER**

HIGHRIGID STEEL FRAME

**15" WOOFER WITH 2.5" VOICE
COIL**

34MM COMPRESSION DRIVER

MAX POWER: 1500W

IMPEDANCE: 8 OHMS

SENSITIVITY: 96+/-2 DB/W/M

FREQ RESPONSE: 40HZ-18KHZ



ADEON

**AP
12**

**2 WAY
PROFESSIONAL POWERED
LOUDSPEAKER**

**1300WATTS
12"**

OUTPUT POWER: 1300W 15" PROFESSIONAL PASSIVE SPEAKER

LF: 1150W

HF: 150W

LF TRANSDUCER 12" WOOFER

HF TRANSDUCER 1.75 INCH TITANIUM DIAPHRAGM COMPRESSION DRIVER

NOMINAL COVERAGE ANGLE 75 AXIS Y METRIC

PP COMPLIANT CABINET / CASE MATERIAL

12INCH 2-WAY PASSIVE SPEAKER

HIGHRIGID STEEL FRAME

**12" WOOFER WITH 2.5" VOICE
COIL**

34MM COMPRESSION DRIVER

MAX POWER: 1300W

IMPEDANCE: 8 OHMS

SENSITIVITY: 96+/-2 DB/W/M

FREQ RESPONSE: 40HZ-18KHZ





STANDS

STUDIO

AX MCS 2022 - BK

HEAVY DUTY ADJUSTABLE
MIC STAND



TYPE:
TELESCOPIC, ADJUSTABLE
MICROPHONE STAND



BASE TYPE:
TRIPOD




MATERIALS:
STEEL & DURABLE PLASTIC

ADEON

| TELESCOPIC ARM LENGTH: |
| UP TO 800MM |

| ADJUSTABLE HEIGHT: |
| 900MM - 1600MM |



ADEON



ARM LENGTH:
530 - 910 MM

HEIGHT:
540 MM

AX MS 54

HEAVY DUTY ADJUSTABLE
MIC STAND

TYPE:
TELESCOPIC,
ADJUSTABLE
MICROPHONE STAND



BASE TYPE:
TRIPOD



BASE TYPE:
STEEL &
DURABLE PLASTIC



ADEON

AX GS 15

HEAVY DUTY ADJUSTABLE
GUITAR STAND



TYPE:
HEAVY DUTY ADJUSTABLE
GUITAR STAND



BASE TYPE:
TRIPOD



MATERIAL:
STEEL



HEIGHT:
640-770 MM

AX KB 36

HEAVY DUTY ADJUSTABLE
KEYBOARD
STAND



TYPE:
HEAVY DUTY
ADJUSTABLE
KEYBOARD STAND



BASE TYPE:
DUO POD



MATERIAL:
STEEL

ADEON

| ARM LENGTH:
30X350 MM |



| HEIGHT:
470-1310 MM |

ADEON



ARM LENGTH:
28X400 MM

HEIGHT:
500-860 MM

AX KB 41XL

ADJUSTABLE
KEYBOARD
STAND

TYPE:
ADJUSTABLE
KEYBOARD STAND



BASE TYPE:
DUOPOD



MATERIAL:
STEEL



ADEON



MAX LOAD CAPACITY:
50 KG

HEIGHT:
300-900 MM

WEIGHT:
6.3 KG

AX KB 127

HEAVY DUTY ADJUSTABLE
KEYBOARD
STAND

TYPE:
ADJUSTABLE
KEYBOARD STAND



BASE TYPE:
TRIPOD



MATERIAL:
ALUMINIUM



AX NS 13

HEAVY DUTY ADJUSTABLE
NOTATION
STAND



TYPE:
HEAVY DUTY
ADJUSTABLE
NOTATION STAND



BASE TYPE:
TRIPOD



MATERIAL:
STEEL

ADEON

BOOK PLATE SIZE:
475(W) X 345(D) MM



HEIGHT:
940-1420 MM

ADEON

BOOK PLATE SIZE:
505 (W) X 290 (D) MM



HEIGHT:
640-1270 MM

AX NS 09

ADJUSTABLE
NOTATION
STAND

TYPE:
ADJUSTABLE
NOTATION STAND



BASE TYPE:
TRIPOD



MATERIAL:
STEEL





ACCESSORIES

STUDIO

AX-BC 01N

BASS GUITAR CASE

MATERIAL:
ABS

DIMENSIONS:
50X44X16CM

WEIGHT:
18KG

ADEON



ADEON

AX-BCS 01N

BASS GUITAR CASE

MATERIAL:
ABS

DIMENSIONS:
62X23X118 CM

WEIGHT:
13KG



AX-EC 01N

ELECTRIC GUITAR CASE

MATERIAL:
ABS

DIMENSIONS:
50X44X108CM

WEIGHT:
17.2 KG

ADEON



ADEON

AX-ECS 01N

ELECTRIC GUITAR CASE

MATERIAL:
ABS

DIMENSIONS:
62X23X109 CM

WEIGHT:
12,8 KG



AX-JC 01N

ACOUSTIC GUITAR CASE

MATERIAL:
ABS

DIMENSIONS:
69X38X116CM

WEIGHT:
20 KG

ADEON



ADEON

AX-KBC 01

KEYBOARD CASE

MATERIAL:
ABS MATERIAL WITH WHEEL

DIMENSIONS:
46.45X20X123 CM

WEIGHT:
7KG



ADEON
ELEVATE EVERY SOUND

**Hertz
Digitron
Pvt. Ltd.**